

Combined Application – tailored for crops needs

	 Green On Growth กรีนออน โกรธ		 Green On Push กรีนออน พูช		 Green On Yield กรีนออน ยิลด์	
Crop	Rate	Application time	Rate	Application time	Rate	Application time
Tomato, Bell pepper, Chilies, Cucumber	2x 50 g/rai	4 - 6 leaf stage Before Flowering	50 g/rai	after first harvest	100 g/200 L biweekly	during fruit growth
Potatoes	2x 50 g/rai	Before row closure Early tuber initiation	or 50 g/rai	early tuber initiation	2 x 50 g/rai	End of tuber initiation 75 % of final tuber size
Citrus	50 g/200 L weekly interval	Post harvest at early leave flush Before flowering, bud stage	50 g/200 L weekly interval	Peak fruit setting period	50 g/200 L weekly interval	After fruit set during fruit enlargement
Durian, Tropical fruits	50 g/200 L weekly interval	Post harvest, early new leaf flush and Sprouting of floral buds	50 g/200 L weekly interval	Tree preparation and After fruit set	50 g/200 L weekly interval	Fruit enlargement and flesh formation until 1 month before harvest
Strawberries	100 g/200 L biweekly	Early leaf flush	100 g/200 L biweekly	First inflorescence to bloom	100 g/200 L biweekly	Fruit development
Onion, Shallots, Garlic	2x 50 g/rai	As soon as sufficient leaf area exists	2x 50 g/rai	Early bulb formation	2 x 50 g/rai	30% final bulb size 70% final bulb size
Leafy vegetables	2x 50 g/rai	As soon as sufficient leaf area exists 2 - 3 weeks later	1x 50 g/rai	Mid of grand growth	–	–
Head forming vegetables	1x 50 g/rai	4 - 5 leaf stage	1x 50 g/rai	Mid of grand growth	2 x 50 g/rai	Early head formation 30 % of head size
Sugarcane	1x 50 g/rai	Tillering 45 - 60 days after planting/harvest Early stem elongation, 90 - 120 DAP	1x 50 g/rai	Mid of grand growth	–	–
Sweetcorn	1x 50 g/rai	4 - 6 leaf stage	–	–	1x 50 g/rai	Tasseling stage
Rice	2x 50 g/rai	Mid tillering Panicle initiation	–	–	–	–
Seed Corn	2x 50 g/rai	4 - 6 leaf stage Tasseling stage	–	–	–	–